



Bid Number/बोली क्रमांक (बिंड संख्या): GEM/2023/B/3980413 Dated/दिनांक : 19-09-2023

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण			
Bid End Date/Time/बिड बंद होने की तारीख/समय	29-09-2023 13:00:00		
Bid Opening Date/Time/बिंड खुलने की तारीख/समय	29-09-2023 13:30:00		
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	180 (Days)		
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Defence		
Department Name/विभाग का नाम	Department Of Defence Production		
Organisation Name/संगठन का नाम	Garden Reach Ship Builders And Engineers Limited (grse)		
Office Name/कार्यालय का नाम	******		
Total Quantity/कुल मात्रा	6		
Item Category/मद केटेगरी	MULTI PORTABLE MULTIGAS DETECTORS (Q3)		
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No		
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No		
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Certificate (Requested in ATC),OEM Authorization Certificate,Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer		
Bid to RA enabled/बिंड से रिवर्स नीलामी सक्रिय किया	Yes		
RA Qualification Rule	H1-Highest Priced Bid Elimination		
Type of Bid/बिंड का प्रकार	Two Packet Bid		
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days		
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No		
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation		

EMD Detail/ईएमडी विवरण

Advisory Bank/एडवाईजरी बैंक	State Bank of India
EMD Amount/ईएमडी राशि	16000

ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%)/ईपीबीजी प्रतिशत (%)	10.00
Duration of ePBG required (Months)/ईपीबीजी की अपेक्षित अवधि (महीने).	38

- (a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।
- (b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लाभार्थी :

Garden Reach Ship Builders and Engineers Limited

ePBG to be submitted as per the standard format to be collected from GRSE. No other format will be accepted. Vendor has to upload ePBG as per GRSE format on GeM portal to enable them to initiate the billing activities on GeM

(43/46 Garden Reach Road, Kolkata-700024)

Splitting/विभाजन

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum

local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

OM No.1 4 2021 PPD dated 18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

- 2. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer)of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023 OM No.1 4 2021 PPD dated 18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. 3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
- 4. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:
 - i. If number of technically qualified bidders are only 2 or 3.
 - ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
 - iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
 - iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
 - v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

MULTI PORTABLE MULTIGAS DETECTORS (6 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अईता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Buyer Specification Document/क्रेता विशिष्टि दस्तावेज़
--

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन	
1	*****	*******KOLKATA	6	30	

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

ITEM SL. NO.	DESCRIPTION	QUANTITY
	MULTI PORTABLE MULTIGAS DETECTORS	
	SUPPLY OF PORTABLE MULTIGAS DETECTORS.	
	1. INTENT	
	A large amount of works are being undertaken inside the confined spaces on board ship / blocks under fab rication at Main Unit. It is the intent to procure 06 No s. Portable Multi-gas Detectors for using by Safety D ept. for ensuring safety specially while working insid e the confined space on board ships.	
	2. DESCRIPTION OF SUPPLIER'S SCOPE OF WORK	
	(i) Scope of supply will be as follows:	
	Sl. No. Description Qty. (In number) a. Portable multi-gas detectors 06	
	(ii) Item Description: Compact, Rugged, Lightweight, in built Audio-visual alarm with Accept facility, shock -resistant, Digital, graphical LCD with backlight and i	

ntrinsically safe for use in explosive environment in confined space. (iii) After supply: Testing, Commissioning & impartin g operational training of Multi-gas Detector to be car ried out by the vendor. (iv) Technical Specification / requirement: (a) Detectability of Gas: LEL (Combustible Gases), O xygen (0#), Carbon Monoxide (CO) and Hydrogen S ulphide (H2S). (b) Gas Measuring Range: - SI. No. Gas Measuring Range Resolution 1. Hydrocarbon 0 to 100% 1% LEL 2. Oxygen 0 to 30% 0.1% Vol. 3. CO 0 to 200% PPM 1 PPM 4 Hydrogen Sulphide 0 to 100 PPM 1 PPM c) Size: Pocket Mounted with suitable clip. d) Temperature & Humidity: (-10 to + 55 ± 5) degre e centigrade, 10 to 95 % RH. e) Alarm type: Visual, vibrating & Audible at low, high, STEL (Short Term Exposure Limit), TWA (Time Weighted Average), OL (Over Limit) condition & LEL (Lower Explosive Limit). f) Display: LCD should be shown real – time gas concentration separately. g) Language: English. h) Response time: 30 second (Max)
g operational training of Multi-gas Detector to be car ried out by the vendor. (iv) Technical Specification / requirement: (a) Detectability of Gas: LEL (Combustible Gases), O xygen (0#), Carbon Monoxide (CO) and Hydrogen S ulphide (H2S). (b) Gas Measuring Range: - Sl. No. Gas Measuring Range Resolution 1. Hydrocarbon 0 to 100% 1% LEL 2. Oxygen 0 to 30% 0.1% Vol. 3. CO 0 to 200% PPM 1 PPM 4 Hydrogen Sulphide 0 to 100 PPM 1 PPM c) Size: Pocket Mounted with suitable clip. d) Temperature & Humidity: (-10 to + 55 ± 5) degre e centigrade, 10 to 95 % RH. e) Alarm type: Visual, vibrating & Audible at low, high, STEL (Short Term Exposure Limit), TWA (Time Weighted Average), OL (Over Limit) condition & LEL (Lower Explosive Limit). f) Display: LCD should be shown real – time gas concentration separately. g) Language: English.
(a) Detectability of Gas: LEL (Combustible Gases), O xygen (O#), Carbon Monoxide (CO) and Hydrogen S ulphide (H2S). (b) Gas Measuring Range: - Sl. No. Gas Measuring Range Resolution 1. Hydrocarbon 0 to 100% 1% LEL 2. Oxygen 0 to 30% 0.1% Vol. 3. CO 0 to 200% PPM 1 PPM 4 Hydrogen Sulphide 0 to 100 PPM 1 PPM c) Size: Pocket Mounted with suitable clip. d) Temperature & Humidity: (-10 to + 55 ± 5) degre e centigrade, 10 to 95 % RH. e) Alarm type: Visual, vibrating & Audible at low, hig h, STEL (Short Term Exposure Limit), TWA (Time Wei ghted Average), OL (Over Limit) condition & LEL (Lo wer Explosive Limit). f) Display: LCD should be shown real - time gas concentration separately. g) Language: English.
xygen (O#), Carbon Monoxide (CO) and Hydrogen S ulphide (H2S). (b) Gas Measuring Range: - Sl. No. Gas Measuring Range Resolution 1. Hydrocarbon 0 to 100% 1% LEL 2. Oxygen 0 to 30% 0.1% Vol. 3. CO 0 to 200% PPM 1 PPM 4 Hydrogen Sulphide 0 to 100 PPM 1 PPM c) Size: Pocket Mounted with suitable clip. d) Temperature & Humidity: (-10 to + 55 ± 5) degre e centigrade, 10 to 95 % RH. e) Alarm type: Visual, vibrating & Audible at low, high, STEL (Short Term Exposure Limit), TWA (Time Weighted Average), OL (Over Limit) condition & LEL (Lower Explosive Limit). f) Display: LCD should be shown real - time gas concentration separately. g) Language: English.
SI. No. Gas Measuring Range Resolution 1. Hydrocarbon 0 to 100% 1% LEL 2. Oxygen 0 to 30% 0.1% Vol. 3. CO 0 to 200% PPM 1 PPM 4 Hydrogen Sulphide 0 to 100 PPM 1 PPM c) Size: Pocket Mounted with suitable clip. d) Temperature & Humidity: (-10 to + 55 ± 5) degre e centigrade, 10 to 95 % RH. e) Alarm type: Visual, vibrating & Audible at low, high, STEL (Short Term Exposure Limit), TWA (Time Weighted Average), OL (Over Limit) condition & LEL (Lower Explosive Limit). f) Display: LCD should be shown real - time gas concentration separately. g) Language: English.
1. Hydrocarbon 0 to 100% 1% LEL 2. Oxygen 0 to 30% 0.1% Vol. 3. CO 0 to 200% PPM 1 PPM 4 Hydrogen Sulphide 0 to 100 PPM 1 PPM c) Size: Pocket Mounted with suitable clip. d) Temperature & Humidity: (-10 to + 55 ± 5) degre e centigrade, 10 to 95 % RH. e) Alarm type: Visual, vibrating & Audible at low, hig h, STEL (Short Term Exposure Limit), TWA (Time Weighted Average), OL (Over Limit) condition & LEL (Lower Explosive Limit). f) Display: LCD should be shown real – time gas concentration separately. g) Language: English.
2. Oxygen 0 to 30% 0.1% Vol. 3. CO 0 to 200% PPM 1 PPM 4 Hydrogen Sulphide 0 to 100 PPM 1 PPM c) Size: Pocket Mounted with suitable clip. d) Temperature & Humidity: (-10 to + 55 ± 5) degre e centigrade, 10 to 95 % RH. e) Alarm type: Visual, vibrating & Audible at low, hig h, STEL (Short Term Exposure Limit), TWA (Time Wei ghted Average), OL (Over Limit) condition & LEL (Lo wer Explosive Limit). f) Display: LCD should be shown real – time gas concentration separately. g) Language: English.
3. CO 0 to 200% PPM 1 PPM 4 Hydrogen Sulphide 0 to 100 PPM 1 PPM c) Size: Pocket Mounted with suitable clip. d) Temperature & Humidity: (-10 to + 55 ± 5) degre e centigrade, 10 to 95 % RH. e) Alarm type: Visual, vibrating & Audible at low, hig h, STEL (Short Term Exposure Limit), TWA (Time Wei ghted Average), OL (Over Limit) condition & LEL (Lo wer Explosive Limit). f) Display: LCD should be shown real – time gas conc entration separately. g) Language: English.
4 Hydrogen Sulphide 0 to 100 PPM 1 PPM c) Size: Pocket Mounted with suitable clip. d) Temperature & Humidity: (-10 to + 55 ± 5) degre e centigrade, 10 to 95 % RH. e) Alarm type: Visual, vibrating & Audible at low, hig h, STEL (Short Term Exposure Limit), TWA (Time Wei ghted Average), OL (Over Limit) condition & LEL (Lo wer Explosive Limit). f) Display: LCD should be shown real – time gas concentration separately. g) Language: English.
c) Size: Pocket Mounted with suitable clip. d) Temperature & Humidity: (-10 to + 55 ± 5) degre e centigrade, 10 to 95 % RH. e) Alarm type: Visual, vibrating & Audible at low, hig h, STEL (Short Term Exposure Limit), TWA (Time Wei ghted Average), OL (Over Limit) condition & LEL (Lo wer Explosive Limit). f) Display: LCD should be shown real – time gas conc entration separately. g) Language: English.
 d) Temperature & Humidity: (-10 to + 55 ± 5) degre e centigrade, 10 to 95 % RH. e) Alarm type: Visual, vibrating & Audible at low, hig h, STEL (Short Term Exposure Limit), TWA (Time Wei ghted Average), OL (Over Limit) condition & LEL (Lo wer Explosive Limit). f) Display: LCD should be shown real – time gas concentration separately. g) Language: English.
 d) Temperature & Humidity: (-10 to + 55 ± 5) degre e centigrade, 10 to 95 % RH. e) Alarm type: Visual, vibrating & Audible at low, hig h, STEL (Short Term Exposure Limit), TWA (Time Wei ghted Average), OL (Over Limit) condition & LEL (Lo wer Explosive Limit). f) Display: LCD should be shown real – time gas concentration separately. g) Language: English.
e centigrade, 10 to 95 % RH. e) Alarm type: Visual, vibrating & Audible at low, hig h, STEL (Short Term Exposure Limit), TWA (Time Wei ghted Average), OL (Over Limit) condition & LEL (Lo wer Explosive Limit). f) Display: LCD should be shown real – time gas concentration separately. g) Language: English.
h, STEL (Short Term Exposure Limit), TWA (Time Wei ghted Average), OL (Over Limit) condition & LEL (Lo wer Explosive Limit). f) Display: LCD should be shown real – time gas conc entration separately. g) Language: English.
entration separately. g) Language: English.
h) Response time: 30 second (Max)
,,,
i) Power Source: Long Life rechargeable battery, ope rating times – min. 10 hrs. & charging time < 4 hrs.
j) Protection Class – IP67
k) Auto calibration on start-up and should indicate e rror message / alarm (if any)
I) Inbuilt Pump (For remote sampling up to a distanc e of at least 20 mtrs.).
(v) Calibration and Certification of Gas detectors duri ng Guarantee period:
Vendor has to carry out calibration and certification of Gas Detectors for all sensors during Guarantee pe riod (3 years) – twice in a year without any extra cha

rge to GRSE.

(vi) Training, Commissioning & Acceptance: -

Necessary satisfactory demonstration for operation to be provided at GRSE premises.

Final acceptance of the Gas Detectors will be made on satisfactory commissioning and imparting user's training at GRSE premises.

- (vii) Servicing & Calibration (After Sales Service): -
- (i) Supplier should have servicing facilities with equipped service centre in and around Kolkata / West Bengal and capable to attend service call within 48 hrs from intimation.
- (ii) Vendor has to confirm that continuous product su pport and maintenance shall be provided by OEM / a uthorised supplier for at least 10 years warranty und er AMC.
- (viii) Guarantee Period: Multi gas detectors supplied by the vendor will be guaranteed for satisfactory per formance of a period of 36 months from the date acc eptance. Any malfunction / non-operational of gas d etectors during guarantee period is to be rectified by vendor within 36 hrs. at free of cost.
- (ix) Approval:-

Gas Detectors shall have the approval of PESO, Govt. of India Govt. of India (updated copy of such approv al shall be submitted along with the technical offer).

- 3. DOCUMENTATION:- The following documents should be provided along with supply of gas detectors.
- i. Guarantee Certificate to be provided for 36 month s from the date of acceptance (including all sensors).
- ii. Instruction & operational manual.
- iii. Manufacturer Test / Performance certificate, calib ration certificate.
- iv. Valid PESO certificate to be submitted along with the Technical Offer
- v. Bidder should be the Original Equipment Manufac turer (OEM) or his authorised dealer / supplier (valid authorisation letter issued by the OEM to be submitt ed along with the Technical Offer, duly endorsed by the authorised signatory of the OEM, mentioning na

me, designation, contact no. & mail id respectively).	1

NOTE:-

- \cdot "Statement for Supply of Portable Multi-Gas Detectors; SOR no. Safety/Pro/23/1" <02 pages attached>.
- In the event of conflict between the terms & conditions in this NIT and the SOTR, the terms & conditions given in this NIT will prevail.
- Payment will be released against regularising GRSE SAP purchase order. In the event of conflict between the terms & conditions of the GeM contract and the GRSE SAP purchase order, the terms & conditions as given in the GRSE SAP purchase order will prevail.
- Bidders are requested to go through all the clauses / terms of the NIT / tender enquiry b efore submitting their bids.
- The rates in the GeM portal are generally inclusive of GST. Bidders are requested to quo te accordingly and to indicate the percentage of GST applicable in their bid.
- In the event EMD is applicable, the same is to be sent in an envelope, clearly indicating the Tender Reference and Due Date, to the tendering authority so as to reach before the tender opening date and time. GRSE shall not be responsible for postal delays, etc. Bids/Offers submitted without EMD within specified date and time will be treated as non-responsive and summarily rejected. Scanned copy of the EMD is to be attached along with the techno-commercial bid.

for GARDEN REACH SHIPBUILDERS & ENGINEERS LTD. (A Govt. of India Enterprise, under the Ministry of Defence),

(Partha Sarathi Bose)

Sr. Manager (Materials | Purchase)

Regd. & Corp. Office: 61, Garden Reach Road, Kolkata - 700 024.

Correspondence : Commercial Department, New Building Complex (1st Floor), GRSE Main Unit , 43/46 Garden Reach Road, Kolkata – 700 024.

Phone: (033) 2469 8100-14; extn. 6049 | Email: Bose.ParthaSarathi@grse.co.in

Website: <u>www.grse.in</u> || CIN: L35111WB1934GOI007891.

2. Scope of Supply

Scope of supply (Bid price to include all cost components): Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)

3. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 50 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 50% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

4. Buyer Added Bid Specific ATC

Buyer uploaded ATC document Click here to view the file.

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. Any clause(s) incorporated by the Buyer regarding following shall be treated as null and void and would not be considered as part of bid:-

- 1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
- 2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
- 3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
- 4. Creating BoQ bid for single item.
- 5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
- 6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
- 7. Floating / creation of work contracts as Custom Bids in Services.
- 8. Seeking sample with bid or approval of samples during bid evaluation process.
- 9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
- 10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
- 11. Creating bid for items from irrelevant categories.
- 12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
- 13. Reference of conditions published on any external site or reference to external documents/clauses.
- 14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---