



Garden Reach Shipbuilders & Engineers Limited

(A Govt. of India Undertaking, Under Ministry of Defence)

43/46, Garden Reach Road, Kolkata – 700 024

Phone :: (033) 2469 8100-8113

Fax No. :: (033) 2469 2020

Home Page :: www.grse.in

CIN No. :: L35111WB1934GOI007891

GST Registration No. 19AAACG9371K1Z4

:: NOTICE INVITING TENDER ::

(OPEN TENDER)

ITEM : SUPPLY OF "HAND TOOLS" FOR GRSE SVL PROJECT, YARD NOS. 3025-28

E-TENDER NO.: PUR/SN/SVL/OT/HAND TOOLS/ET-1808

Indent No.	1000035218-35219, 35240-35241
Yard No.	3025-28

SL.	DESCRIPTION	QUANTITY
1.	ALUM STEP LADDER, 6 FEET LONG Al. Alloy self-supporting type step ladder, 6' long with 63 x 36 mm (approx.) serrated non slip flat steps with integrated tube, hinged support, platform at top, non-skid rubber shoes.	4 Each x 4 Ships = 16 Each
2.	MOP HANDLE, HOLDER AND PADS MOP HANDLE, HOLDER AND PADS.	20 Each x 4 Ships = 80 Each
3.	BRUSH CLEANING (POLYPROPYLENE) BRUSH CLEANING (POLYPROPYLENE)	20 Each x 4 Ships = 80 Each
4.	BRUSH CLEANING (SILICON) BRUSH CLEANING (SILICON)	20 Each x 4 Ships = 80 Each
5.	PAINT ROLLER&HANDLE PAINT ROLLER & HANDLE.	45 Each x 4 Ships = 180 Each
6.	GREASE GUN (HAND HELD) Grease gun (hand held) Capacity 450 gm with standard nozzle and one 150 mm long (approx.) rigid pipe, and one 300 mm long(approx.) flexible delivery pipe	6 Each x 4 Ships = 24 Each
7.	PORTABLE SPRAY PAINTING MACHINE Portable Spray Painting Machine Consisting of : i) 1 HP Single Phase compressor with Motor Pulley & V-Belt. Make of Compressor "Crown or Supreme or Equivalent." ii) Spray Gun, capacity: 1 Pint (1/2Ltr.) iii) 10 M Long Flexible Hose	4 Each x 4 Ships = 16 Each



Garden Reach Shipbuilders & Engineers Limited

(A Govt. of India Undertaking, Under Ministry of Defence)

43/46, Garden Reach Road, Kolkata – 700 024

Phone :: (033) 2469 8100-8113

Fax No. :: (033) 2469 2020

Home Page :: www.grse.in

CIN No. :: L35111WB1934GOI007891

GST Registration No. 19AAACG9371K1Z4

SL.	DESCRIPTION	QUANTITY
	iv) 3 Pin Plug, 15 Amps, 5 M Cable the unit mounted on a common base	
8.	5" ANGLE GRINDER 5" angle grinder Continuous rating Input 1,050W Wheel diameter : 125mm (5") No load speed (rpm) : 11,000 Dimensions (L x W x H): 361x140x124mm (14-1/4"x5-1/2"x4-7/8") Net weight : 2.8kg (6.1lbs) Power supply cord : 2.0m (6.6ft)	6 Each x 4 Ships = 24 Each
9.	CUP WIRE BRUSH 60 MM Cup wire brush 60 mm	15 Each x 4 Ships = 60 Each
10.	7" ANGLE GRINDER 7" Angle Grinder Continuous rating Input 2,600W Wheel diameter 180mm (7"). No load speed (rpm) 8,500 Sound power level 101 dB(A) Sound pressure level 90 dB(A) Vibration level Surface Grinding: 7.5 m/s ² Disc Sanding: 2.5 m/s ² Dimensions (L x W x H) 511x200x140mm (20-1/8"x7-7/8"x5-1/2") Net Weight 6.4kg (14.2lbs) approx.	6 Each x 4 Ships = 24 Each
11.	CUP WIRE BRUSH 90 MM Cup wire brush 90 mm	15 Each x 4 Ships = 60 Each
12.	HAMMER DRILL Hammer drill Blows Per Minute (BPM) 0 - 4,050 Continuous rating Input 710W Capacity Steel : 13mm (1/2") Impact energy EPTA-Procedure 05/2009: 2.2 J Impacts per minute (ipm) 0 - 4,050 No load speed (rpm) 0 - 1,050	4 Each x 4 Ships = 16 Each
13.	PORTABLE WELDING MACHINE Portable welding machine Application Classification S Duty Cycle 35% Output Current 200A Output Voltage 28V Welding Process MMA Current Range(A) 5-200 A Open Circuit Voltage 66.3 V Protection Class IP23S Fuse Slow - Amps 25A Frequency 50/60 Hz Phase 1 Voltage 230 V Height 230 mm Length 360 mm Width 140 mm Weight 7.5 kg.	2 Each x 4 Ships = 8 Each
14.	PORTABLE EXHAUST FAN Portable Exhaust fan Size: 12" (300 mm) sweep Power: 520 Watt Air Delivery: 2890 cfm / 4900 cmh Speed: 2800 RPM Supply: Single Phase / 220 - 240V, AC, 50 Hz Powder coated MS casing with floor mounting legs fitted with vibration absorbing rubber mounting pads) and spiral grill on both sides, 7 leaf moulded impeller directly mounted on motor shaft, moulded handle with speed regulating switch and power cord, multi-lobe pan-head passivated fasteners with spring washers, packed in single piece corrugated box. Net weight: 12.78 kg. Supplied with 5 Mtr Hose for 12" Portable Air Blower.	5 Each x 4 Ships = 20 Each
15.	ALUM EXTENDING LADDER, FOLDABLE 5 FT LG ALUM EXTENDING LADDER, FOLDABLE LENGTH 5 FEET, WITH EXTRUDED CHANNEL SECTION, CORRUGATED TUBE STEPS, ROPE, PULLEY & GRAVITY PAWLS FOR EXTENDING AND LOWERING THE INTERLOCKED EXTENDING SECTION	3 Each x 4 Ships = 12 Each



Garden Reach Shipbuilders & Engineers Limited

(A Govt. of India Undertaking, Under Ministry of Defence)

43/46, Garden Reach Road, Kolkata – 700 024

Phone :: (033) 2469 8100-8113

Fax No. :: (033) 2469 2020

Home Page :: www.grse.in

CIN No. :: L35111WB1934GOI007891

GST Registration No. 19AAACG9371K1Z4

SL.	DESCRIPTION	QUANTITY
	TO ANY INTERMEDIATE HEIGHT, OVER EXTENSION SAFETY DEVICE, RUBBER SHOES & CAPS.	
16.	VACUUM CLEANER DOMESTIC Vacuum Cleaner domestic Motor Wattage 1400W, Voltage 220 V, with reusable bag and floor cum carpet brush, hose pipe, extension pipe, multipurpose dusting brush, crevice nozzle, upholstery nozzle	4 Each x 4 Ships = 16 Each
17.	ELECTRIC GRINDER "Electric Grinder, Wheel width 16 mm (5/8") Continuous rating Input 250W Wheel diameter 150mm (6") No load speed (rpm) 3,450 (60Hz) Hole dia. 12.7mm (1/2") H.P. 1/3 Sound pressure level 74 dB(A) Dimensions (L x W x H) 375x200x300mm (approx.) Net Weight 9 kg (approx.)	4 Each x 4 Ships = 16 Each
18.	ELECTRIC NEEDLE SCALER Electric needle Scaler, Stroke Speed (rpm): 3.000 min-1 Needles to be used: 2OD x 180 (32pcs.) or 3OD x 180(15pcs) Voltage: 110 V AC 60Hz / 220 V AC 50Hz Mass (Weight): 5 kg (approx.) Standard Accessories: Length/height (approx.) Needle 3 mm OD x 180 mm: 30 pcs. (15 pcs.) 500 / 230 mm	3 Each x 4 Ships = 12 Each
19.	ELECTRIC WIRE BRUSH Electric wire brush, Brush Diameter : 3 Inches Shank Arbor : 5/8-11 Wire Diameter : .014" Max Safe Free Speed : 14000 RPM	8 Each x 4 Ships = 32 Each
20.	CIRCULAR SAW Circular Saw, Continuous rating Input 1,600W No load speed (rpm) 5,500 Max cutting capacity 90°: 65/67mm 45°: 44/45mm Blade diameter 185 / 190 mm Vibration level Cutting Wood: 2.5 m/s ² or less L x W x H (approx.) 300x250x250 mm Net Weight 4.0 kg (approx.)	2 Each x 4 Ships = 8 Each
21.	PROTECTIVE GOGGLES, FOR WELDING PROTECTIVE GOGGLES, FOR WELDING	10 Set x 4 Ships = 40 Set
22.	ALL PURPOSE SAW All-purpose saw, Continuous rating Input 1,010W Capacity Pipe/Wood: 130/255mm Strokes per minute (spm) 0 - 2,800 Length of stroke 28mm L x W x H (approx.) 450x100x175mm	2 Each x 4 Ships = 8 Each



Garden Reach Shipbuilders & Engineers Limited

(A Govt. of India Undertaking, Under Ministry of Defence)

43/46, Garden Reach Road, Kolkata – 700 024

Phone :: (033) 2469 8100-8113

Fax No. :: (033) 2469 2020

Home Page :: www.grse.in

CIN No. :: L35111WB1934GOI007891

GST Registration No. 19AAACG9371K1Z4

SL.	DESCRIPTION	QUANTITY
	Net Weight 3 kg (approx.)	
23.	CORDLESS DRILLING MACHINE Cordless drilling machine, Chuck capacity 1.5 - 13mm Max lock torque 54 Nm Capacity Steel/Wood:13/38mm No load speed (rpm) High /Low:0 - 1,900 / 0 - 600 Max. fastening torque Hard/Soft:62/36Nm Sound pressure level 75 dB(A) Vibration level Drilling Into Metal:2.5 m/s ² or less L x W x H (approx.) 200x75x240mm Net Weight 2 kg (approx.)	1 Each x 4 Ships = 4 Each
24.	ARC SENSITIVE WELDING HELMET Arc sensitive welding helmet, Applicable Standards: ANSI®, CE, CSA® Approval Clear Shade: #3.5 Delay Time(s): 0.1–1.0 Number of Sensors: 4 Power Supply: Solar Cell, Battery Replaceable (1xCR2450 lithium battery) Sensitivity: Adjustable Knob Shade: Auto Darkening 5–8 / 9–13 Switching Speed, seconds: 1/25,000 Viewing Area (in): 3.74 x 3.34 (approx.) Viewing Area (in ²): 12.53 (approx.)	1 Each x 4 Ships = 4 Each
25.	HIGH PRESSURE WATER JET MACHINE HIGH PRESSURE WATER JET MACHINE, EFFECTIVE TURBO PRESSURE-190 BAR, PUMP PRESSURE-145 BAR, WATER QUANTITY - NOT EXCEEDING 18LITRE/MINUTE.	2 Each x 4 Ships = 8 Each
26.	INDUSTRIAL VACUUM CLEANER Industrial vacuum cleaner, Continuous rating Input 1,050W Max. peak air flow 2.0m ³ / min Max. sealed suction (water column) 22.0kPa (2,240mmH ₂ O) Tank capacity Dust : 32L Water : 27L L x W x H (approx.) 550x400x700mm (approx.) Net Weight 15kg (approx.)	2 Each x 4 Ships = 8 Each
27.	BRAZING BLOW PIPE Brazing blow pipe, Gas Service -Oxygen and Fuel (Acetylene/Propane) Fuel Inlet Connection (LH M) 3/8 BSPP Oxygen Inlet Connection (RH M) 3/8 BSPP, Angle of Degree 900 Length 450 mm (approx.) Weight 1.5 kg (approx.)	2 Each x 4 Ships = 8 Each
28.	CORDLESS SCREW DRIVER WITH ACCESSORIES Cordless screw driver with accessories, Max Fastening Torque Hard/Soft:4.0/3.0Nm Fastening Capacities Wood Screw:ø3.8x32mm Max lock torque 6.0 Nm No load speed (rpm) 220 Sound power level N/A dB(A) Sound pressure level 70 dB(A) or less	8 Each x 4 Ships = 32 Each



Garden Reach Shipbuilders & Engineers Limited

(A Govt. of India Undertaking, Under Ministry of Defence)

43/46, Garden Reach Road, Kolkata – 700 024

Phone :: (033) 2469 8100-8113

Fax No. :: (033) 2469 2020

Home Page :: www.grse.in

CIN No. :: L35111WB1934GOI007891

GST Registration No. 19AAACG9371K1Z4

SL.	DESCRIPTION	QUANTITY
	Vibration level Screw driving w/o Impact : 2.5 m/s ² or less L x W x H (approx.) Straight Style:300x50x50 Net Weight 400g (approx.) Accessories Bit set (81 pcs), AC Adaptor, USB Cable.	
29.	RIVET POP GUN Rivet pop gun, Standard Hand Riveter Capacity 2.4 – 4.8 mm Capacity:2.4/3.2/4/ 4.8 mm Supplied with Rivets	2 Each x 4 Ships = 8 Each
30.	CHIPPING HAMMER KIT Chipping Hammer Kit, Blows Per Minute (BPM) 0-3,200 Continuous rating Input 550W Impact energy EPTA-Procedure 05/2009: 3.1 J L x W x H (approx.) 350x100x200mm Net Weight 3.5kg (approx.)	2 Each x 4 Ships = 8 Each
31.	HYDRAULIC NUT CRACKER Hydraulic Nut cracker, 6-ton of controlled hydraulic power for removal of frozen or corroded nuts up to 2H hardness and 1-3/4" across the flats or 2" hex on soft nuts, 1-1/2" stroke. Includes ram and pump set.	4 Each x 4 Ships = 16 Each
32.	LONG NECK STRAIGHT GRINDER Long Neck Straight Grinder, Continuous rating Input 750W Wheel diameter 125 mm No load speed (rpm) 5,600 Dimensions (L x W x H) 600x200x125 mm Net Weight 5 kg (approx.)	2 Each x 4 Ships = 8 Each
33.	SMART KIT Smart Kit consisting of (1) 6 pc Combination Drive Adaptor Set (2) 8 pc 3/8" Drive Impact Driver Set (3) 5 pc 1/2" Drive Extension Set (4) 10 pc 1/2" Drive 6-Point Metric Flank Drive® Shallow Socket Set (5) Heavy Duty Diagonal Cutter (6) 13 pc 1/2" Drive 6-Point Metric Flank Drive® Deep Socket Set (7) 8-5/16" High Leverage Diagonal Cutter (8) Needle Nose Pliers (9) Talon Grip™ Needle Nose Pliers (10) 32 oz Ball Peen Soft Grip Dead Blow Hammer (11) Dead Blow 24-Ounce Soft Grip Hammer (12) 12-Point Metric 21 mm Flank Drive® Standard Combination Wrench (13) 12-Point Metric 22 mm Flank Drive® Standard Combination Wrench (14) 12-Point Metric 24 mm Flank Drive® Standard Combination Wrench (15) 11 pc Punch and Chisel Set (16) 6 pc 6-Point Double End Metric Flank Drive® Flare Nut Wrench (17) 1/2" Drive 80-Tooth Standard Handle Ratchet (18) 4 pc Mixed File Set (19) 1/2" Drive 80-Tooth Long Flex-Head Ratchet (20) 7 pc Retaining Ring Pliers Set (21) 1/2" Drive Flex-Head TQ-Series Torque Wrench (40–250 ft-lb)	1 Each x 4 Ships = 4 Each



Garden Reach Shipbuilders & Engineers Limited

(A Govt. of India Undertaking, Under Ministry of Defence)

43/46, Garden Reach Road, Kolkata – 700 024

Phone :: (033) 2469 8100-8113

Fax No. :: (033) 2469 2020

Home Page :: www.grse.in

CIN No. :: L35111WB1934GOI007891

GST Registration No. 19AAACG9371K1Z4

SL.	DESCRIPTION	QUANTITY
	(22) 14 pc 1/4" Drive 6-point SAE Shallow General Service Socket Set (23) 6 pc 3/8" Drive Adaptor/Extension Set (24) 11 pc 3/8" Drive 6-Point SAE Flank Drive® Shallow Socket Set (25) 11 pc 3/8" Drive 6-Point SAE Flank Drive® Deep Socket Set (26) 9 pc 12-Point SAE Flank Drive® Standard Combination Wrench Set (3/8-7/8") (27) Wire Stripper/Cutter (28) 16 oz Ball Peen Hickory Handle Hammer (29) 2-1/4" Round Mirror with 14" Shaft (30) 9" Adjustable Joint Interlocking Channel Pliers (31) 17 pc 1/2" Drive 6-Point SAE General Service Socket Set (32) Black 7-5/8" Rigid Carbon Scraper (33) 15 pc SAE L-Shaped Hex Wrench Set (.028-3/8") (34) Telescopic Magnetic Pick-Up Tool (35) Bi-Mold Soft Grip Handle Hacksaw (36) 8 pc Instinct® Hard Grip Combination Orange Screwdriver Set (37) 3/8" Drive Dual 80® Technology Standard Handle Ratchet (38) Convertible Retaining Ring Pliers (39) 11 pc Punch and Chisel Set (40) 12' Tape Rule (41) 2D Cell LED Flashlight (42) Top Chest	
34.	<p style="text-align: center;">GASKET CUTTING MACHINE</p> Gasket Cutting Machine, (1) Cuts Gasket from 2" to 22" OD as well as square and Rectangular Gaskets (2) Optional Calibrated Centre Bar cuts Circular Gaskets 22" OD to 42" OD (3) Long Life HSS Circular Cutter can be Re-Sharpended. (4) Extensive Application. (5) Maintenance Free Following standard accessories (to be supplied with the machine) (1) 1 No. Drill Bit 10.0mm (Center Hole drilling prior to mounting) (2) 1 No. Calibrated Bar (Small Scale/tool) to cut circular gaskets from 2 inches (50.8mm) ID to 22 inches OD (558.8mm) (Fitted in the Machine) (3) 1 No. HSS Cutter Blade (Fitted in the Machine) (4) 1 Set Hole Saw cutters Kit (10 Pieces) Size: 12mm– 45mm* (5) 3 Nos. Laminated Flange Dimensions and Drilling Table to B.S. DIN & ANSI Standards (6) 1 No. Turn Table (for large diameter Circular Gaskets) (7) 1 No. Cutter Removal Key (8) 1 No. Cutter Alignment Key (9) 2 Nos. Stainless Steel Bolts & Nuts for mounting machine on Work Table. (10) 3 Nos. Laminated Operating / Maintenance Instructions	1 Each x 4 Ships = 4 Each
35.	<p>DUST PROTECTOR COMMERCIAL</p>	25 Each x 4 Ships = 100 Each
36.	<p>EAR PLUG EAR PLUG,3M make, model 1110</p>	25 Pair x 4 Ships = 100 Pair
37.	<p>JIGSAW</p> Jigsaw, Continuous rating Input 650W Capacity Wood/Steel: 90/10mm Strokes per minute (spm) 500 - 3,100 Length of stroke 23mm L x W x H (approx.) 250x75x200mm Net Weight 2.5kg (approx.)	1 Each x 4 Ships = 4 Each



Garden Reach Shipbuilders & Engineers Limited

(A Govt. of India Undertaking, Under Ministry of Defence)

43/46, Garden Reach Road, Kolkata – 700 024

Phone :: (033) 2469 8100-8113

Fax No. :: (033) 2469 2020

Home Page :: www.grse.in

CIN No. :: L35111WB1934GOI007891

GST Registration No. 19AAACG9371K1Z4

SL.	DESCRIPTION	QUANTITY
38.	HEAVY DUTY CUTTER Heavy Duty cutter, Wheel diameter 355 mm Engine power 3.0 kW / 4.1 PS Fuel tank 1.1 L Circumferential speed 80 m/s Sound power level 104.6 dB(A) Sound pressure level 92.7 dB(A) Vibration level Front handle 2.7 m/s ² Vibration level Rear handle 1.8 m/s ² L x W x H (approx.) 775x300x450mm Net Weight 13 kg (approx.)	1 Each x 4 Ships = 4 Each
39.	WOODEN PLANER Wooden Planer, Continuous rating Input 840W No load speed (rpm) 16,000 Overall length 355mm Planning depth 2mm Planing width 110mm Net Weight 4.5kg (approx.)	1 Each x 4 Ships = 4 Each
40.	CORDLESS IMPACT WRENCH Cordless impact wrench, Fastening Capacities Std Bolt: M10 - M20 HT Bolt: M10 - M16 Square Drive 12.7 mm Impacts per minute Hard/Medium/Soft: 0 3500/ 0-2600/0-1800 No load speed (rpm) Hard/Medium/Soft: 0-2800/0-2100/0-1600 Max. fastening torque 280 N·m Sound power level 107 dB(A) Sound pressure level 96 dB(A) Vibration level Impact tightening of fasteners of the maximum capacity of the tool: 11.5 m/s ² L x W x H (approx.) 150x75x250mm Net Weight 1.5 kg (approx.)	6 Each x 4 Ships = 24 Each
41.	POWER BIT SET Power Bit Set containing Hex Bits (Long) 5/32, 3/16, 7/32 TORX® Tamper-Resistant Bits (Short and Long) T10, T15, T20, T25, T27, T30, T40 PHILLIPS® Bits (Long) #1, #2, #3 Flat Tip Bits (Short) 5-6, 6-8, 8-10 (2 each), 10-12 Clutch Bits (Short and Long) 5/32", 3/16" Adaptors 1/4" hex female to 1/4" hex female, 1/4" hex male to 1/4" square male, 1/4" hex Quick Change Chuck PHILLIPS® Bits (Short) #1, #2 (2 each), #3 Square Bits (Short and Long) #1, #2, #3 Hex Bits (Short) 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 9/32" Flat Tip Bits (Long) 6-8, 8-10, 10-12 Double End Bits 6-8 x #2 PHILLIPS®, 8-10x#3 PHILLIPS®	3 Each x 4 Ships = 12 Each



Garden Reach Shipbuilders & Engineers Limited

(A Govt. of India Undertaking, Under Ministry of Defence)

43/46, Garden Reach Road, Kolkata – 700 024

Phone :: (033) 2469 8100-8113

Fax No. :: (033) 2469 2020

Home Page :: www.grse.in

CIN No. :: L35111WB1934GOI007891

GST Registration No. 19AAACG9371K1Z4

SL.	DESCRIPTION	QUANTITY
42.	BOLT CUTTER (12" X30") Bolt Cutter (12" x30"), Capacity in Soft Materials: 1/2" Capacity in Hard Materials: 3/8" Length: 30" Weight: 4 Kg (approx.)	2 Each x 4 Ships = 8 Each
43.	101 PIECE MECHANIC TOOL SET 101 Piece Mechanic tool set containing (1) 22 pc 1/4" Drive SAE/Metric Twist Impact Socket Set (2) 1/2" 18 V Monster Lithium Cordless Hammer Drill Kit (3) 129 29 pc Cobalt Thunder bit 135° Split Point Drill Bit Set (1/16–1/2") (4) 19 pc Extractor (5) 48 pc Master Extractor Set (6) Bi Mold Soft Grip Handle Hacksaw (7) 7 pc Hole Saw and Arbor Kit (8) 1/2 HP Die Grinder (9) Right Angle Die Grinder and Grinding Pads (10) Reciprocating Air Saw with Dual-Chuck Mechanism (11) 21 pc Master Spindle Rethreading Set (12) 48 pc Master Rethreading Tap and Die Set (13) Tapered Bit Extractor Set (14) 8 pc Tap Socket Set (15) 76 pc Combination Tap and Die Set (16) Vinyl Storage Kit Pouch (17) Miniature Butane Torch (18) 8 pc Carbide Burr Set (19) Extractor Set (20) 3 pc Step Drill Set (21) Top Chest	1 Each x 4 Ships = 4 Each
44.	ELECTRIC PAINT / CEMENT MIXTURE MACHINE "Electric Paint / Cement Mixture machine, Frequency 50 Hz Length 590 mm Paddle 120 mm Power 1220 W / 1.6 HP Speed 480 RPM(I Gear)/800 RPM (II Gear) Voltage 220-240V Weight 6 Kgs (approx.)	1 Each x 4 Ships = 4 Each
45.	SHEAR Shear, Continuous rating Input 710W Capacity Steel up to 400 N/mm ² : 3.2mm Steel up to 600 N/mm ² : 2.5mm Steel up to 800 N/mm ² : 1.5mm Aluminum up to 200 N/mm ² : 4.0mm Strokes per minute (spm) 1,600 Min. cutting radius 50mm (2") L x W x H (approx.) 225x100x250mm Net Weight 3.5kg (approx.)	1 Each x 4 Ships = 4 Each
46.	DEMOLITION HAMMER Demolition Hammer, Blows Per Minute (BPM) 950 – 1,900 Continuous rating Input 1,510W Sound power level 95 Db(A) Sound pressure level 75 Db(A) Vibration level Chiseling Function	1 Each x 4 Ships = 4 Each



Garden Reach Shipbuilders & Engineers Limited

(A Govt. of India Undertaking, Under Ministry of Defence)

43/46, Garden Reach Road, Kolkata – 700 024

Phone :: (033) 2469 8100-8113

Fax No. :: (033) 2469 2020

Home Page :: www.grse.in

CIN No. :: L35111WB1934GOI007891

GST Registration No. 19AAACG9371K1Z4

SL.	DESCRIPTION	QUANTITY
	with Side Handle:8.0 m/s ² L x W x H (approx.) 575x150x250 mm Net Weight 10.8 kg (approx.)	
47.	HOT AIR GUN Hot Air Gun, Temperature setting 2 settings Continuous rating Input 1,800W Air flow Hi(220-240V):550L/min Lo(220-240V):280L/min Hi(110-127V):400L/min Lo(110-127V):200L/min Air temperature (degrees C) 600 L x W x H (approx.) 250x75x200mm Net Weight 1kg (approx.)	1 Each x 4 Ships = 4 Each
48.	CORDLESS GRINDER Cordless Grinder, Wheel diameter 100mm (4") No load speed (rpm) 3,000 - 8,500 Sound pressure level 80 dB(A) Vibration level Surface Grinding with Anti-Vibration Side Grip: 4.0 m/s ² Disc Sanding with Anti-Vibration Side Grip: 2.5 m/s ² or less L x W x H (approx.) 375x125x150mm Net Weight 2.5 kg (approx.)	2 Each x 4 Ships = 8 Each
49.	2-SPEED ALL PURPOSE DRILL 2-Speed all Purpose drill, Continuous rating Input 720W Capacity Steel Hi/Lo:8/13mm Wood Hi/Lo: 25/40mm No load speed (rpm) Hi:0-29 00 Lo:0-1200 L x W x H (approx.) 350x75x225mm Net Weight 2.5kg (approx.)	1 Each x 4 Ships = 4 Each
50.	CUT OFF SAW Cut off saw, Capacity at 90° Round:127mm Rectangular:115x130/102x194mm Rectangular:70x233mm Square:119x119mm Triangular:137x137x10mm Capacity at 45° Round: 127 mm Rectangular:115x103mm Square:106x106 mm Triangular:100x100x10mm Continuous rating Input 2200W Wheel diameter 355 mm (14") No load speed (rpm) 3,800 Sound power level 110 dB(A) Sound pressure level 102 dB(A) Vibration level 2.5 m/s ² or less L x W x H (approx.) 525x300x650mm Net Weight 19kg (approx.)	1 Each x 4 Ships = 4 Each



Garden Reach Shipbuilders & Engineers Limited

(A Govt. of India Undertaking, Under Ministry of Defence)

43/46, Garden Reach Road, Kolkata – 700 024

Phone :: (033) 2469 8100-8113

Fax No. :: (033) 2469 2020

Home Page :: www.grse.in

CIN No. :: L35111WB1934GOI007891

GST Registration No. 19AAACG9371K1Z4

SL.	DESCRIPTION	QUANTITY
51.	<p>PERCUSSION DRILL /SCREW DRIVER</p> <p>Percussion drill /screw driver, Chuck capacity 1.5 - 13 mm Max lock torque 40 N-m Capacity Steel/Wood:13/36 mm Impacts per minute (ipm) Hi/Lo:0-25500/0-7500 No load speed (rpm) Hi/Lo:0-1700/0-500 Max. fastening torque Hard / Soft: 40 / 23 N-m Sound power level 94 dB(A) Sound pressure level 83 dB(A) Vibration level Hammer Drilling into Metal: 2.5 m/s² or less L x W x H (approx.) 175x75x250mm Net Weight 1.5 kg (approx.)</p>	1 Each x 4 Ships = 4 Each
52.	<p>ULTRASONIC LEAK DETECTOR</p> <p>Ultrasonic leak detector, Type Portable Detectable gases / parameters Frequency (20 KHz to 100 KHz) Electronics / processor Micro-controller Power supply Internal rechargeable battery with charger Display Graphic LCD Technology Principle Ultrasonic Frequency Detector Heterodyne Frequency 20 KHz - 100 KHz Accuracy :+ - 2 KHz Response time Operating temperature instantaneous 0- 55 °C Sampling / input Housing/ case Diffusion" High impact ABS Plastic included accessories Carry case, headphone Optional accessories Spectrum analysis software Probe Sensitivity Airborne for external sound, touch probe for internal sound 65 Db/ubar at 40 KHz Band Width + 2 KHz Headset Dynamic 32 ohm Weight 175 g (approx.) L x W x H (approx.) 100x25x175mm</p>	1 Each x 4 Ships = 4 Each

For GARDEN REACH SHIPBUILDERS & ENGINEERS LIMITED

(S. NANDI)

SR. MANAGER (PURCHASE)

Commercial Dept., New Building Complex (1st Floor)

43/46, Garden Reach Road, Kolkata – 700 024

Phone: (033) 2469 8100-13; Ext: 214

Email: Nandi.Subhasish@grse.co.in



Garden Reach Shipbuilders & Engineers Limited

(A Govt. of India Undertaking, Under Ministry of Defence)

43/46, Garden Reach Road, Kolkata – 700 024

Phone :: (033) 2469 8100-8113

Fax No. :: (033) 2469 2020

Home Page :: www.grse.in

CIN No. :: L35111WB1934GOI007891

GST Registration No. 19AAACG9371K1Z4

-: TERMS & CONDITIONS :-

- TECHNICAL TERMS -

1. **TECHNICAL SPECIFICATION / SCOPE OF SUPPLY :-**

As per SOTR No. GT700100001, Rev.1 (12 Pages).

2. For any clarification please contact -

<u>Sl.</u>		<u>Contact Details</u>
1	For any kind of technical specification related quarries	Mr. Mridul Biswas, Deputy General Manager(D)(HO) Email : Biswas.Mridul@grse.co.in Mob : 91633 61865
2.	For any kind of commercial related quarries	Mr. Subhasish Nandi, Sr. Manager(Purchase) Email : Nandi.Subhasish@grse.co.in Mob : 98368 93562 Mr. Sujit Kumar Naskar, Deputy General Manager(Purchase) Email : Naskar.SujitKumar@grse.co.in Mob : 76030 56564
3.	For any kind of tender uploading / registration / view problem / quarries	GRSE E-Procurement Cell Email : mtl.eproc@grse.co.in Contact No. : (033) 2489 3902 (Monday to Friday 8:30 AM to 5:00 PM, Saturday 8:30 AM to 12:30 PM)



Garden Reach Shipbuilders & Engineers Limited

(A Govt. of India Undertaking, Under Ministry of Defence)

43/46, Garden Reach Road, Kolkata – 700 024

Phone :: (033) 2469 8100-8113

Fax No. :: (033) 2469 2020

Home Page :: www.grse.in

CIN No. :: L35111WB1934GOI007891

GST Registration No. 19AAACG9371K1Z4

- COMMERCIAL TERMS -

1. Tender must be submitted in system generated data sheet format which is provided through e-procurement. The mentioned information should be clearly filled up in e-procurement and upload the same.
2. Bidders are required to be registered in the following facilities / portals as per directives of the Government of India -
 - a. GeM (Government eMarketplace) <https://gem.gov.in>
 - b. TReDS (Trades Receivables e-Discounting System) www.invoicemart.com

The bidders are to indicate the 'Unique Seller ID' allotted by GeM and the registration number allotted by TReDS in their bids.

In the event of any bidder not registered in the above two or not indicating the registration details in their bids, GRSE reserves the right to disqualify their bids without assigning any reason whatsoever.

3. NSIC Single Point Registered firms for supplying above mentioned item may be exempted from submitting Tender Fee, EMD & Security Deposit against formal approach in techno-commercial bid along with a valid relevant NSIC Single Point Registration Certificate up to its monetary limit.
4. **PUBLIC PROCUREMENT POLICY FOR MICRO & SMALL ENTERPRISES (MSEs) ORDER :-**
 - a) The 'Public Procurement Policy for Micro & Small Enterprises (MSEs) Order, 2012' and subsequent amendments / guidelines / press publications / circulars to the Order, as issued by the Ministry of MSME, shall be applicable as on the date of opening of the price bids.
 - b) The bidders are advised to check the website of the Ministry of MSME for details of the amendments / circulars issued by the Ministry of MSME.
 - c) Class A and B items are to be considered as non-divisible within the same class of ships and tender is to be awarded on a single bidder on totality basis unless there is any specific clause in the tender enquiry to indicate divisibility of the tendered quantity.

5. **VALIDITY :-**

All Tenders must remain firm and open for acceptance **for 180 days** from the due date. As a general rule, price negotiation with L-1 vendor(s) will not be entered into as far as possible, unless warranted by unreasonable price quoted in the opinion of GRSE.

6. **NEW / UNREGISTERED VENDORS :-**

New / Unregistered Vendors to submit the following qualification criteria in Part 'A' of the offer otherwise their offer will not qualify for further processing:-

- (a) Submission of the constitution and status of the firm.
- (b) Registration with GOI/PWD/PSU/and reputed organization, if any.
- (c) Experience of supply / manufacture during last 2/3 years of tendered item. (PO/Invoice copies & Performance Certificate of reputed customers to be enclosed at least 2 to 3 Govt./Semi-Govt. Orders of similar type of items in last 2/3 years).
- (d) Submission of PAN together with copies of Trade License, GST Registration Certificate.
- (e) Solvency Certificate from Banker and copy of audited Balance Sheet and Profit & Loss Account for last three years.
- (f) Name, address, telephone & Fax No. of the bankers and the contact person of the firm.



Garden Reach Shipbuilders & Engineers Limited

(A Govt. of India Undertaking, Under Ministry of Defence)

43/46, Garden Reach Road, Kolkata – 700 024

Phone :: (033) 2469 8100-8113

Fax No. :: (033) 2469 2020

Home Page :: www.grse.in

CIN No. :: L35111WB1934GOI007891

GST Registration No. 19AAACG9371K1Z4

- (g) Either OEM or their authorized distributor / dealer can participate in this tender. A valid authorization certificate of OEM has to be enclosed with Part A of offer to qualify participation by an authorized dealer / distributor.

7. **TENDER FEE (NON-REFUNDABLE) :-**

Tender fee will be **Rs.1,000.00 (Rupees One Thousand Only)**. Vendor need to submit tender fees details in prescribed format in e-procurement commercial data sheet and send the draft, in favour of Garden Reach Shipbuilders & Engineers Ltd. addressed to *Mr. S.Nandi, Sr. Manager (Purchase)* in the upper portion of envelope. Please scan the Draft copy and attach it to General Documents part in e-procurement.

GRSE reserves the right to reject the offer in case the scanned copies of DD for Tender Fee is not attached in the offer.

8. **EARNEST MONEY DEPOSIT :-**

(a) There will be no provision regarding submission of EMD to be kept in the Tender documents and bidder has to submit a "Bid Security Declaration" during submission of offer as per the attached format.

(b) Exemption of EMD for MSME / NSIC as applicable for GRSE will remain unaltered.

(c) The clause shall include in tender document as per following para :

Bidders are not required to submit any amount as EMD / Bid Security in the form of any negotiable instrument against this tender. However in lieu to that, a **Bid Security declaration** has to be submitted as per format enclosed with the tender. In case of withdrawal of the bid / fail or refuse to execute the contract / fail or refuse to furnish the security deposit, punitive action will be taken against the bidder by imposition of tender holiday for a period of 03(three) years.

MSE registered firms having the tendered service listed in their MSE document will be eligible for exemption from submitting Bid Security Declaration.

Non-submission of Bid Security Declaration or a valid MSE certificate may lead to offer rejection.

9. **SECURITY DEPOSIT (SD) :-**

(a) Post award of contract the submission of Security Deposit is to be fixed at 3% of the value of the contract for all upcoming contracts till 31.03.2023. However, the same will not be applicable for contracts under dispute wherein arbitration/court proceedings have already been started or are contemplated.

(b) For contracts once entered into with 3% Security Deposit there will be no subsequent increase in Security Deposit even beyond 31.03.2023.

(c) Exemption of SD for NSIC as applicable for GRSE will remain unaltered.

10. **PART ORDER :-**

Part order is applicable against this tender enquiry.

11. **L-1 DETERMINATION :-**

L-1 bidder shall be decided on ITEM-WISE BASIS (excluding GST).

12. **CONDITIONAL OFFER :-**

No conditional offer and hard copy of offer will be accepted.



Garden Reach Shipbuilders & Engineers Limited

(A Govt. of India Undertaking, Under Ministry of Defence)

43/46, Garden Reach Road, Kolkata – 700 024

Phone :: (033) 2469 8100-8113

Fax No. :: (033) 2469 2020

Home Page :: www.grse.in

CIN No. :: L35111WB1934GOI007891

GST Registration No. 19AAACG9371K1Z4

13. **TERMS OF PRICE :-**

The quoted rate must be legible and to be kept firm & fixed till execution of order in full on F.O.R. GRSE, Kolkata (Door Delivery) at Main Unit basis. Packing, Forwarding, Freight, Insurance and all other Taxes & Duties (if any) are to be borne by the supplier. Firm may be required to deliver the material at any store of GRSE, Kolkata and if required, prior confirmation for delivery store location to be obtained from ordering department.

14. **TAX :-**

Bidders to indicate GST rate & HSN/SAC Code with proper document (scanned copy).

15. **INSPECTION, TESTING AND CERTIFICATION :-**

All items preferably should be IS marked. Mfg.'s TC/Supplier's Certificate confirming supply of materials as per specification and GC for each item to be submitted.

Receipt Inspection will be done by GRSE(RIC) on the basis of supporting documents.

16. **GUARANTEE / WARRANTY :-**

The supplied materials are to be guaranteed for satisfactory performance for a period of 12 months from the date of commissioning / using OR 18 months from the date of receipt of material at GRSE whichever is earlier, against improper design, defective materials and faulty workmanship and firm has to submit a certificate to this effect at the time of delivery.

Any defect of the supplied material if found during the guarantee period, the vendor should attend to any defect within 48 hours of reporting and should replace the defective part, free of cost, to make the equipment functional or the whole equipment is to be replaced free of cost, if required, within 15 days of reporting.

17. **DOCUMENTATION :-**

- Manufacturer's Test Certificates, Guarantee Certificates and other certificates (*if any*) are to be provided along with delivery of material failing which materials are liable to be rejected.
- One copy of inspection certificates (01 ink-signed copy) with record of weighed weight are to be forwarded to CDO at the time of delivery of the items.
- A set of the above certificates are also to be forwarded to the ordering authority for records.
- Items are to be supplied duly packed as applicable, in suitable stowage box with proper identification mark.

18. **PAYMENT TERMS :-**

(A) FOR VALUE OF ORDER GREATER THAN RS. 2 LAKH –

100% payment will be made through ECS/NEFT mode within 30 days against clear bill supported with ICGRN, GRSE Gate Receipted Challan and against submission of Performance Bank Guarantee for 3% of order value in GRSE format valid till expiry of guarantee period. ICGRN will be issued only after receipt and acceptance of the item.

OR

97% payment will be made through ECS/NEFT mode within 30 days against clear bill supported with ICGRN, GRSE Gate Receipted Challan and balance 3% will be paid after expiry of guarantee period. ICGRN will be issued only after receipt and acceptance of the item.

(B) FOR VALUE OF ORDER LESS THAN RS. 2 LAKH –

100% payment will be made through ECS/NEFT mode within 30 days against clear bill supported with ICGRN and GRSE Gate Receipted Challan. ICGRN will be issued only after receipt and acceptance of the item.

N.B. :-

The supplier shall stipulate the following on delivery Challan :-

"We undertake to make up short fall / discrepancy in supply if any within a reasonable time".



Garden Reach Shipbuilders & Engineers Limited

(A Govt. of India Undertaking, Under Ministry of Defence)

43/46, Garden Reach Road, Kolkata – 700 024

Phone :: (033) 2469 8100-8113

Fax No. :: (033) 2469 2020

Home Page :: www.grse.in

CIN No. :: L35111WB1934GOI007891

GST Registration No. 19AAACG9371K1Z4

Note :-

Soft copy of all relevant documents e.g. Inspection Certificate, Guarantee Certificate and Packing List which may require for receipt & acceptance of material GRSE Store to be forwarded to concern dealing officer of Purchase dept. prior to despatch of material. Non submission of above documents (hand & soft copy) will liable to delay in process for payment.

Transaction fee of Rs.500.00 for first return & Rs. 1,000.00 for subsequent return of bill with inappropriate documents will be charged.

19. PERFORMANCE BANK GUARANTEE(PBG) :-

The supplied materials are to be guaranteed for satisfactory performance for a period of 12 months from the date of commissioning / using OR 18 months from the date of receipt of material at GRSE whichever is earlier, against improper design, defective materials and faulty workmanship and firm has to submit a certificate to this effect at the time of delivery. Any defect of the supplied material if found during the guarantee period, the vendor should attend to any defect within 48 hours of reporting and should replace the defective part, free of cost, to make the equipment functional or the whole equipment is to be replaced free of cost, if required, within 15 days of reporting.

A Bank Guarantee covering 3% value of the contract is to be furnished before claim of payment. Keeping the same valid for the three months beyond guarantee period from the date of despatch / supply of last consignment. GRSE reserves the right to invoke the above Bank Guarantee at any time during its validity period in the event of any breach of terms stipulated in the order.

In case PBG is not submitted, 97% payment will be released & balance 3% after completion of Guarantee Period.

20. PROCEDURE FOR SUBMISSION OF BANK GUARANTEE :-

Bank Guarantee should be executed on the non-judicial stamp paper of Rs.50/- which should be obtained in the name of the executing Banker. In case a single stamp paper of Rs.50/- is not available, stamp paper of multiple denomination is acceptable provided serial no. of such stamp paper are consecutive and are purchased on the same date. Bank Guarantee should be executed strictly as per GRSE's format. Any alteration in the writing is required to be authenticated by the signatory executing the Bank Guarantee under official seal. B.G. must be submitted in banker's sealed envelope directly to our Corporate Finance Dept.

Bank guarantee to be sent directly by your banker in a bank-sealed envelope to the following address :- Chief General Manager(F), Garden Reach Shipbuilders & Engineers Ltd., 43/46, Garden Reach Road, Kolkata - 700 024.

21. RIGHT OF INVOCATION OF BANK GUARANTEE :-

GRSE reserves the right to invoke the Bank Guarantee at any time during its validity period in the event of failure / delay in supply / breakage any sorts of operational complication of ordered materials / breach of any terms of this contract.

22. EXECUTION OF ORDER :-

Order once placed must be executed in full within the stipulated delivery period, unless otherwise specially agreed by the buyer in writing.

23. SUBMISSION OF DOCUMENTS :-

For late submission of original despatch documents / wrong documentation, demurrage / wharfage charges if incurred, shall be recovered from the supplier.

24. DELIVERY SCHEDULE :-

FOR YARD 3025 : IN JULY 2022

FOR YARD 3026 : IN OCTOBER 2022

FOR YARD 3027 : IN APRIL 2023

FOR YARD 3028 : IN OCTOBER 2023



Garden Reach Shipbuilders & Engineers Limited

(A Govt. of India Undertaking, Under Ministry of Defence)

43/46, Garden Reach Road, Kolkata – 700 024

Phone :: (033) 2469 8100-8113

Fax No. :: (033) 2469 2020

Home Page :: www.grse.in

CIN No. :: L35111WB1934GOI007891

GST Registration No. 19AAACG9371K1Z4

NOTE :

- Delivery time line for each ships is to be complied by the firm. GRSE store will not accept the material before the schedule delivery date mentioned against each part supply/or any request for early delivery will not be accepted, if not consented by GRSE.
- Before supply of materials, firm to approach GRSE with consignment details (like weight, volume, no. of packing etc.) 03 days prior to delivery plan.

25. DELIVERY POINT :-

- a) Materials to be delivered to FAC Stores, GRSE – Main Unit at Garden Reach Shipbuilders & Engineers Limited, 43/46, Garden Reach Road, Kolkata – 700 024.
- b) Ordered Materials, if delivered at GRSE, must be supplied between 09:00 AM to 12:00 Noon and 01:30 PM to 04:00 PM only on full working days and between 09:00 AM to 11:00 AM on half working days. Late supply will not generally be accepted.
- c) The items are to be delivered against proper delivery challan / consignment note (in quadruplicate) indicating purchase order details, material code nos., yard nos. GRSE material code nos. & yard nos. are also to be marked/tagged on the items.

26. MODE OF DESPATCH :-

a) For local supplier :

To be delivered to GRSE at your cost.

b) For outside supplier :

The items to be despatched preferably through GRSE nominated transporter on freight paid & door delivery basis. The materials are to be suitably packed to avoid transit damage / pilferage.

Way Bill / Road Permit : As per notification of GST Council, online Way Bill has to be generated through GST Way Bill portal. Supplier / authorized transporter can generate online Way Bill.

27. TRANSIT INSURANCE :-

Will be arranged by you at your cost.

28. FORCE MAJEURE :-

Standard Force Majeure Condition at the supplier's own works / establishment shall only be accepted. The failure of the sub-contractors of the suppliers shall not be accepted as a Force Majeure Condition. Vendor is to submit relevant proof / document well in time to buyer to inform F.M. condition.

29. REJECTION OF MATERIALS :-

Rejection of materials and also the late delivery will affect further business with GRSE. No claim of payment will be entertained (for rejected material) in case rejected items are not lifted back within 14 days from the date of rejection. Replacement against rejection is to be made by vendor Free of Cost within 14 days of Store's intimation.

30. INDIVIDUALITY OF CONTRACT :-

This order shall be treated as an individual contract, shall not allow any general lien to the portions and shall not get any prejudice in execution due to situation arising out of some other contract that you may have with GRSE.

31. CANCELLATION OF ORDER :-

In the event of progress being poor, GRSE reserve the right to cancel the order & no cancellation charges will be paid to the firm on this account.

32. ACCEPTANCE :-



Garden Reach Shipbuilders & Engineers Limited

(A Govt. of India Undertaking, Under Ministry of Defence)

43/46, Garden Reach Road, Kolkata – 700 024

Phone :: (033) 2469 8100-8113

Fax No. :: (033) 2469 2020

Home Page :: www.grse.in

CIN No. :: L35111WB1934GOI007891

GST Registration No. 19AAACG9371K1Z4

It is not binding on the purchaser to accept the lowest or any tender. The purchaser reserves the right to accept any of the tender or part of a tender without assigning any reason. The purchaser reserves the right to split up the tender and place order for individual item with different suppliers. The purchaser also reserves the right to order 25% more / less of the total tendered quantity.

33. **SECURITY CLAUSE :-**

All information given to the supplier for the execution of the order is to be treated as SECRET / CONFIDENTIAL. The technical information, drawings, specification and other related documents forming part of this Enquiry / order are the property of Purchaser and shall not be used for any other purpose except for the execution of Order. Any information / drawing etc. shall not be copied, transcribed, traced or reproduced in any other form or otherwise in whole / part or duplicated, modified, divulged and / or disclosed, to a third party not misused, used in any other form whatsoever without purchaser's prior consent in writing except to the extent required for the execution of this order. At the time of tendering the purchaser has to give an undertaking in favour of GRSE that in the event of any breach of the above provisions, he would make good of any loss / cost / damage / any other claim whatsoever preferred by anybody to GRSE in this respect.

34. **PATENT RIGHT :-**

GRSE shall be completely absolved of any responsibility towards any infringement of Patent Right etc. i.e. a clear and quiet possession of goods should take place with the passing of title on execution of the order.

35. **LIQUIDATED DAMAGE :-**

All orders are subject to L.D. @ ½% per week or part thereof on undelivered portion of the order subject to a maximum of 5% of the value of the order for the delayed part. To release L.D. amount GRSE will have the right to encash / revoke the Security Deposit / Bank Guarantee.

36. **RISK PURCHASE :-**

If the materials are not supplied within the stipulated delivery period GRSE reserves the right to procure the same or equivalent material from alternative source at your risk, responsibility & cost.

37. **ARBITRATION :-**

i) If at any time, before during or after the contract period, any unsettled claim, question, dispute or difference arises between the parties, upon or in relation to or in connection with or in any way touching or concerning this order, the same shall be settled/adjudicated through Arbitration to be conducted by a Sole Arbitrator, to be appointed by the parties on mutual consent, in accordance with the provisions of the Arbitration and Conciliation Act, 1996.

ii) In the event the parties fail to mutually appoint a Sole Arbitrator within 30 days from the receipt of a request by one party from the other, then either of the parties may approach the Hon'ble High Court at Calcutta under the provisions of the Arbitration and Conciliation Act, 1996 for appointment of a Sole Arbitrator by the Hon'ble Court.

iii) Such arbitration shall, in all respects, be conducted in accordance with the provisions of the Arbitration and Conciliation Act, 1996 and the rules framed there under or any statutory modification or re-enactment thereof for the time being in force.

iv) The Award of the Sole Arbitrator shall be final, conclusive and binding upon the parties.

v) In the event of the death or resignation or incapacity or whatsoever of the said Sole Arbitrator if appointed by the parties mutually the said parties may again appoint a suitable Substitute Arbitrator in place of the erstwhile Sole Arbitrator to continue with the proceedings. In the event of appointment of the Sole Arbitrator by the Hon'ble High Court at Calcutta on death or resignation or incapacity or whatsoever of the said Sole Arbitrator, either of the parties in this behalf, may make an application to the Hon'ble High Court at Calcutta for appointment of a Substitute Arbitrator and the Hon'ble Court may pass such orders as it deems fit and proper.



Garden Reach Shipbuilders & Engineers Limited

(A Govt. of India Undertaking, Under Ministry of Defence)

43/46, Garden Reach Road, Kolkata – 700 024

Phone :: (033) 2469 8100-8113

Fax No. :: (033) 2469 2020

Home Page :: www.grse.in

CIN No. :: L35111WB1934GOI007891

GST Registration No. 19AAACG9371K1Z4

vi) Also in the event an Arbitration award is set aside by a competent court the parties may appoint a Sole Arbitrator mutually or on failing to appoint a Sole Arbitrator mutually within the statutory period then either of the parties may file an application before the Hon'ble High Court at Calcutta under the provisions of the Arbitration and Conciliation Act, 1996 for appointment of a Sole Arbitrator by the Hon'ble Court in accordance with the provisions of the Arbitration & Conciliation Act.

vii) The cost of the arbitration, fees of the arbitrator, remuneration of the stenographer and clerk, stamp paper etc. shall be shared equally by the parties, unless otherwise directed by the Sole Arbitrator. The venue of arbitration shall be at Kolkata and unless otherwise decided by the parties or by the Sole Arbitrator himself, the venue shall be the premises of Garden Reach Shipbuilders & Engineers Ltd. located at 43/46, Garden Reach Road, Kolkata - 700 024.

viii) The language of the proceeding shall be in English.

38. **JURISDICTION :-**

All disputes arising out of the contract if required to be referred to a court of law, the jurisdiction of the case would be under Kolkata court irrespective of the location of the vendor.

39. **COMPLIANCE WITH LAWS :-**

Vendor is warranted that all goods purchased against the enquiry shall conform to all applicable city, States and Central Laws, Ordinances and Regulations. Further, Vendor shall indemnify / defend / relieve GRSE harmless from loss, cost of damage, by reason or any actual or alleged violation thereof.

40. The Company shall not be liable under the Workmen's Compensation Act of 1923, in case any employee or workmen of any Contractor receives injury while actually serving his employer in connection with the latter's work inside the compound of GRSE Ltd.

41. **You will have to submit bid in Two Part (Techno-Commercial Bid & Price Bid) in e-Procurement mode where all data sheet will be available for download, need to fill up the required field and upload the file. Price Bid need to be filled up in given Price Bid Data Sheet only, no other attachment regarding price will be allowed if so then offer will be treated as cancelled.**

42. In case of single part offer, GRSE reserves the right to reject the technical offer of the bidder not confirming to the tendered requirement.

43. GRSE reserves the right to accept any tender or part of a tender or reject any / all tenders without assigning any reason whatsoever.

44. GRSE also reserves the right to split up the tendered quantity and place order on more than one supplier.

45. All other terms & conditions as per GRSE STACS.

IMPORTANT NOTE :-

- 1) TECHNO-COMMERCIAL BID WILL BE OPENED ON THE DUE DATE AND TIME OF TENDER YOU MAY SEE THE STATUS ONLINE.
- 2) IN CASE OF NON-RECEIPT OF FILLED IN STACS ACCEPTANCE FORMAT MATRIX, IT WOULD BE PRESUMED THAT YOU HAVE ACCEPTED ALL OUR TERMS & CONDITIONS AS PER GRSE "STACS", UNTIL & UNLESS DEVIATION IS SPECIFICALLY MENTIONED IN OFFER.
- 3) GRSE SHALL RESERVE THE RIGHT TO REJECT THE TECHNICAL & COMMERCIAL OFFERS OF THE BIDDERS NOT CONFIRMING TO THE TENDERED REQUIREMENT.



Garden Reach Shipbuilders & Engineers Limited

(A Govt. of India Undertaking, Under Ministry of Defence)

43/46, Garden Reach Road, Kolkata – 700 024

Phone :: (033) 2469 8100-8113

Fax No. :: (033) 2469 2020

Home Page :: www.grse.in

CIN No. :: L35111WB1934GOI007891

GST Registration No. 19AAACG9371K1Z4

For GARDEN REACH SHIPBUILDERS & ENGINEERS LIMITED

(S. NANDI)

SR. MANAGER (PURCHASE)

Commercial Dept., New Building Complex (1st Floor)

43/46, Garden Reach Road, Kolkata – 700 024

Phone: (033) 2469 8100-13; Ext: 214

Email: Nandi.Subhasish@grse.co.in

